

ADDENDUM NO. 3

Board of Darke County Commissioners Courthouse Security Entrance Addition

May 29, 2019

To: Planholders

From: Mote & Associates, Inc.
214 West Fourth Street
Greenville, Ohio 45331

Phone: (937) 548-7511
Fax: (937) 548-7484
E-mail: info@moteassociates.com

Re: Board of Darke County Commissioners
Courthouse Security Entrance Addition

This Addendum forms a part of the Contract Documents and modifies the original Contract Documents dated May 1, 2019, Addendum # 1 dated May 21, 2019, and Addendum #2 dated May 23, 2019. Acknowledge receipt of this Addendum in the space provided on the Bid Proposal form. Failure to do so may subject the Bidder to disqualification.

GENERAL CLARIFICATIONS:

1. Due to difficulties experienced by Bidders in obtaining subcontractor quotes because of the May 27, 2019, storm-related ongoing power outages, and as announced at 1:30 PM without opening any Bids, the Board of County Commissioners as the Owner chose to extend the Bid Date by one week. Any and all Bids received were returned to the Bidder unopened immediately after the announcement. Sealed Bids will now be received by the Board of Darke County Commissioners at the Commissioners' Office (Owner) located at 520 South Broadway Street, Greenville, OH, 45331, until **1:00 PM on June 5, 2019**, for furnishing all labor, materials, and equipment necessary to complete the project known as Darke County Courthouse Security Entrance Addition. The Bids received will then be publicly opened and read aloud at 1:30 PM during the regular session of the Commissioners.

CHANGES/CLARIFICATIONS TO THE TECHNICAL SPECIFICATIONS:

2. ALUMINUM-FRAMED ENTRANCES AND STOREFRONTS, SECTION 08 41 13
 - a. In Article 2.04.A.1, add the following sentence: Where bullet resistant glass is indicated, the aluminum door and window frames shall meet the requirements of UL 752, Level 3. The frames shall also meet all requirements this specification section except that where a UL 752 requirement does not allow compliance with this specification, UL 752 shall take precedence.

CHANGES/CLARIFICATIONS TO ADDENDUM NO. 1:

3. Delete Addendum No. 1 Item #1 that changed Technical Specification Section 08 41 13, ALUMINUM-FRAMED ENTRANCES AND STOREFRONTS. The rating of bullet resistance glass shall remain Level 3 as originally specified.

End of Addendum